


Steel

EXTRA HEAVY FENDER



EXTRA HEAVY FENDER WASHERS

| Bolt Size | Inside Diameter (± .010) | Outside Diameter (± .010) | Thickness | | Approximate Number of Washers per Each 25# Carton |
|-----------|-----------------------------|------------------------------|-----------|------|---|
| | | | Max | Min | |
| 10 | .219 | .938 | .132 | .108 | 1,125 |
| 1/4 | .281 | 1.000 | .132 | .108 | 1,000 |
| 1/4 | .281 | 1.125 | .132 | .108 | 750 |
| 1/4 | .281 | 1.250 | .132 | .108 | 625 |
| 1/4 | .281 | 1.500 | .132 | .108 | 425 |
| 5/16 | .343 | 1.250 | .132 | .108 | 625 |
| 5/16 | .343 | 1.500 | .132 | .108 | 437 |
| 3/8 | .406 | 1.250 | .132 | .108 | 715 |
| 3/8 | .406 | 1.500 | .132 | .108 | 450 |
| 3/8 | .438 | 1.250 | .132 | .108 | 675 |
| 3/8 | .438 | 1.750 | .132 | .108 | 325 |
| 1/2 | .531 | 2.000 | .132 | .108 | 250 |

| | |
|---------------------------------|--|
| Description | A flat washer with significantly more surface area than a USS or SAE washer. They are also made from a thinner gauge metal than most flat washers. |
| Applications/ Advantages | Used where a thicker than normal fender washer is required. |
| Material | <i>Steel</i> G3131 or equivalent steel |
| Plating | Fender washers are usually provided zinc plated or with no finish. |